

MS SCAFFOLDING



044-42109858, +91 95140 60056




info@ydesavvy.com




<https://www.ydesavvy.com>

MS SCAFFOLDING CUPLOCK SYSTEM COMPONENTS




Cuplock Verticals



Thickness (3.2 mm)	
Standard Sizes (m)	Weight (Kgs)
3	14
2.5	11.7
2	9.3
1.5	7
1	4.7
0.5	2.3

Thickness (3.2 mm)	
Standard Sizes (m)	Weight (Kgs)
3	11.1
2.5	9.3
2	7.5
1.8	6.8
1.5	5.7
1.2	4.6
1	3.9
0.9	3.5
0.6	2.5

Ledgers




U-Jack



Type	Size (mm)	Weight (kgs)
Pipe	450	3
	600	3.4
	900	5.1
Rod (32 mm)	300	2.9
	450	4.5
	600	5.5


Base jack



Type	Size (mm)	Weight (kgs)
Pipe	450	2.9
	600	3.3
	900	5
Rod (32 mm)	450	4.5
	600	5.5

Scaffold Clamp:Swivel

Type	Size (mm)	Weight (kgs)
Swivel	40 x 40	0.7
	40 x 50	0.85
	50 x 50	0.95
Fixed	40 x 40	0.68
	40 x 50	0.8
	50 x 50	0.89




Joint Pin



Size	Weight(kgs)
10"	0.6

Walkway Jali / Platform way




Size (Mts)	Weight (Kgs)
2+2	35
2.4+2.4	42
3+3	52.5


Op → Outer Pipe, Ip → Inner Pipe

Model (OP + IP) (m)	Closed Height (m)	Extended Height (m)	Safe Working Load
Prop 1 - 1.0 + 1.0	1.0	2.0	Up to 25 KN
Prop 2 - 1.5 + 1.5	1.5	3.0	Up to 20 KN
Prop 3 - 2 + 2.0	2.0	4.0	Up to 15 KN
Prop 4 - 2 + 3.0	2.0	5.0	Up to 10 KN
Prop 5 - 3 + 3.0	3.0	6.0	Up to 7 KN

Prop Jacks



Acro Span



Size (L) (Feet)	Size (L x W)(Mts)	Weight (kgs)
10'	3 x 0.3	25
8'	2.4 x 0.2	20


X-Bracing




Type	Size (Mts)	Weight (kgs)
Rod	2.5	9.5
Angle (35 x 35 x 5 mm)	2.5	13

H-Frame

Size (Mts)	Weight (kgs)
2 x 1	22
2 x 1(Ladder)	28



Centring Sheets



Size	Weight (Kgs)
2' x 3' (or) 600 x 900 mm	14
21" x 3'	11.7
18" x 3'	10.5
15" x 3'	9.3
1' x 3'	8
9" x 3'	13.3

Centering Sheet Tables:

Size	Weight (Kgs)
6" x 6'	10.8
0.45 x 1.2 Mt	27.5
0.5 x 1.2 Mt	30.5
0.5 x 1.25 Mt	32
0.65 x 1.2 Mt	40
0.8 x 1.2 Mt	42

Size	Weight (Kgs)
1 x 1.2 Mt	50
1 x 1.25 Mt	54.5
1 x 1.5 Mt	65.4
1.2 x 1.2 Mt	64.3
1.25 x 1.25 Mt	68.2
1 x 1.2 Mt	61.7


Size	Weight (Kgs)
1 x 1.25 Mt	67.4
0.6 x 1.2 Mt	42
0.6 x 1.25 Mt	43.3
0.3 x 1.2 Mt	23.3

Scaffolding Boards



Size (m)	Weight (kg)
4.0	22 - 24
3.5	19 - 21
3.0	16 - 18
2.5	14 - 15
2.0	11 - 12
1.5	8 - 9
1.0	5 - 6

Round & Square Column Box



Size(L*W*H)	Weight (Kgs)
9" x 18" x 8' (or) 230 x 450 x 2400 mm	140
9" x 18" x 9'	155
9" x 18" x 10' (or) 230 x 450 x 3000 mm	170
9" x 2' x 8' (or) 230 x 600 x 2400 mm	165
9" x 2' x 9'	185

Size(L*W*H)	Weight (Kgs)
1' x 18" x 8' (or) 300 x 450 x 2400 mm	142
1' x 2' x 8' (or) 300 x 600 x 2400 mm	170
300 x 600 x 3000 mm	215
15" x 2' x 8' (or) 380*600*2400 mm	185
380 x 600 x 3000 mm	235

Size(L*W*H)	Weight (Kgs)
450 x 450 x 2700 mm	180
18" x 2' x 8' (or) 450 x 600 x 2400 mm	200
600 x 600 x 3000 mm	245
600 x 600 x 2700 mm	220
600 x 750 x 3000 m	275

Size(L*W*H)	Weight (Kgs)
750 x 750 x 3000 mm	305
900 x 900 x 3000 mm	385
500 x 700 x 2700 mm	270
550 x 550 x 2700 mm	245
600 x 600 x 2700 mm	270

Haunch Plates



Size(S*(M)*S)	Length	Weight (kgs)
150 x (212) x 150 mm (or) 150 x (150 x 150) x 150 mm	1250 mm	30
100 x (212) x 100 mm (or) 100 x (150 x 150) x 100 mm	1250 mm	25
100 x (424) x 100 mm (or) 100 x (300 x 300) x 100 mm	1250 mm	38

Size(S*(M)*S)	Length	Weight (kgs)
150 x (212) x 150 mm (or) 150 x (150 x 150) x 150 mm	1250 mm	37
100 x (212) x 100 mm (or) 100 x (150 x 150) x 100 mm	1250 mm	31
100 x (424) x 100 mm (or) 100 x (300 x 300) x 100 mm	1250 mm	47

SCAN ME



OUR LOCATION:

Office : No. 152c, Sector 1, 4th Lane,
1st Main Road, Ambattur Industrial
Estate, Chennai- 600 058.